

06/19/98  
jc560 U.S. PTO

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Applicant: Joseph Phillip Bigus, Brian John Cragun,  
Helen Roxlo Delp

Atty. Docket: IBM / 04B  
RO996-052L


Title: PROGRAM PRODUCT FOR OPTIMIZING THE PERFORMANCE OF COMPUTER  
TASKS USING INTELLIGENT AGENT WITH MULTIPLE PROGRAM MODULES  
HAVING VARIED DEGREES OF DOMAIN KNOWLEDGE (As Amended)

jc518 U.S. PTO  
09/100595  
06/19/98

**CERTIFICATE OF MAILING BY EXPRESS MAIL - 37 CFR 1.10**

'Express Mail' mailing label number: EL041891845US  
Date of Deposit: 6/19/98

I certify that this paper or fee (along with the enclosures noted herein) is being deposited with the United States Postal Service 'Express Mail Post Office to Addressee' service under 37 CFR 1.10 on the above date and is addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231.

  
By: Amy Farris (person mailing paper)

**UTILITY PATENT APPLICATION TRANSMITTAL**

**BOX PATENT APPLICATION**  
*Assistant Commissioner for Patents*  
*Washington, D.C. 20231*

Sir:

This is a request for filing, under 37 CFR § 1.53(b), a(n):

- ☐ Original (non-provisional) application.
- ☒ **Divisional of prior application Serial No. 08/822,993, filed on 3/21/97.**
- ☐ Continuation of prior application Serial No. \_\_, filed on \_\_.
- ☐ Continuation-in-part of prior application Serial No. \_\_, filed on \_\_.

For Divisional and Continuation applications ONLY:

- ☒ **Copy of Executed Declaration, Power of Attorney and Petition Form from parent application is enclosed (as noted below in Enclosures).**
- ☐ Incorporation by Reference: The entire disclosure of the prior application, from which a copy of the oath or declaration is supplied herewith, is considered as being part of the disclosure of the accompanying application and is hereby incorporated by reference therein.

For all Divisional, Continuation and Continuation-in-part applications:

- ☐ A Small Entity Statement was filed in the prior application, small entity status is still proper and desired.
- ☒ **This application is assigned to INTERNATIONAL BUSINESS MACHINES CORPORATION by virtue of an earlier assignment filed in the prior application at Reel 8490, Frame 0843-0844.**

### CALCULATION OF FEES

- ☒ Please enter the enclosed preliminary amendment identified below prior to calculating the fees.  
16 total claim(s), of which 1 is(are) independent, is(are) pending after the amendment.

- ☒ The Fees are Calculated as Follows:

Fee:	Number of Claims:	In Excess of:	Extra:	At Rate:	Amount:
Total Claims	16	20	0	\$22	\$0.00
Independent Claims	1	3	0	\$82	\$0.00
MULTIPLE DEPENDENT CLAIM FEE					
BASIC FEE					\$790.00
TOTAL OF ABOVE CALCULATIONS					\$790.00
REDUCTION BY 50% FOR FILING BY SMALL ENTITY					
TOTAL					\$790.00

### ENCLOSURES

- ☒ Utility Patent Application Transmittal Form (in duplicate) containing Certificate of Mailing By Express Mail Under 37 CFR 1.10.  
☒ Return Postcard.

#### APPLICATION PAPERS

- ☒ Divisional Utility Patent Application, with: 45 page(s) specification (including 35 total claim(s), of which 4 is(are) independent), and 1 page(s) abstract.  
☒ Drawings: 9 sheet(s) of formal drawings (12 total figure(s)).  
☐ Microfiche Computer Program (Appendix).  
☐ Nucleotide and/or Amino Acid Sequence, including (all are necessary): Computer Readable Copy, Paper Copy (identical to computer copy), and Statement verifying identity of copies.  
☐ An    Declaration, Power of Attorney and Petition Form.  
☒ Copy of Executed Declaration, Power of Attorney and Petition Form from prior application identified above.  
☐ Certified Copy of priority document(s) identified as attached above.

#### ADDITIONAL PAPERS

- ☐ Assignment to   , Recordation Cover Sheet (Form PTO-1595)  
☐ Verified Statement to Establish Small Entity Status under 37 CFR 1.9 and 1.27.  
☒ Preliminary Amendment (to be entered prior to calculation of fees)  
☐ Information Disclosure Statement,    sheet(s) Form PTO-1449,    U.S. Patent Reference(s),    Foreign Patent Reference(s) and    Other Reference(s)  
☒ Other: Copy of Substitute Power of Attorney  
☒ Copy of Assignment from prior application evidencing title in INTERNATIONAL BUSINESS MACHINES CORPORATION

#### CHECKS

- ☒ A Check of \$790.00 for the filing fee.  
☐ A Check of    for the assignment recording fee.

0040059-00498


**DEPOSIT ACCOUNT AUTHORIZATION**

- ☐ Please charge Deposit Account No. 23-3000 in the amount of     .
- ☒ **The Commissioner is authorized to charge any fees under 37 CFR 1.16 and 1.17 which may be required during the entire pendency of the application, or credit any overpayment, to Deposit Account No. 23-3000 . A duplicate of this transmittal is attached.**
- ☐ THE PAYMENT OF FEES IS BEING DEFERRED.
- 

WOOD, HERRON & EVANS, L.L.P.  
2700 Carew Tower  
Cincinnati, Ohio 45202  
(513) 241-2324

SAS/jlv

Respectfully Submitted,



Scott A. Stinebruner  
Reg. No. 38,323

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Applicants: Joseph Phillip Bigus et al.      Art Unit: Unknown  
Serial No.: FILED HEREWITH      Examiner: Unknown  
Filed: June 19, 1998      Atty. Docket No.: IBM/04B  
For: PROGRAM PRODUCT FOR OPTIMIZING THE PERFORMANCE OF  
COMPUTER TASKS USING INTELLIGENT AGENT WITH MULTIPLE  
PROGRAM MODULES HAVING VARIED DEGREES OF DOMAIN  
KNOWLEDGE (As Amended)

---

**PRELIMINARY AMENDMENT**

Assistant Commissioner for Patents  
Washington, DC 20231

Sir:

Please amend the above-identified patent application as follows:

**Amendments**

**In the Title**

Please amend the title to read --PROGRAM PRODUCT FOR OPTIMIZING THE PERFORMANCE OF COMPUTER TASKS USING INTELLIGENT AGENT WITH MULTIPLE PROGRAM MODULES HAVING VARIED DEGREES OF DOMAIN KNOWLEDGE--.

**In the Specification**

At page 1, line 6, please insert the paragraph:

--This application is a divisional application of U.S. Serial No. 08/822,993, filed on March 21, 1997 by Bigus et al., entitled "APPARATUS AND METHOD FOR OPTIMIZING THE PERFORMANCE OF COMPUTER TASKS USING INTELLIGENT AGENT WITH MULTIPLE PROGRAM MODULES HAVING VARIED DEGREES OF DOMAIN KNOWLEDGE", which application is incorporated by reference herein.--

At page 1, lines 7-8, please delete "even date herewith" and substitute therefor  
--March 21, 1997--.

At page 1, line 8, please delete "Serial No. \_\_\_\_" and substitute therefor  
--Serial No. 08/821,935--.

At page 1, lines 10-11, please delete "Serial No. \_\_\_\_" and substitute therefor  
--Serial No. 08/822,119--.

At page 1, line 13, please delete "Serial No. \_\_\_\_" and substitute therefor  
--Serial No. 08/826,107--.

At page 28, lines 32-33, please delete "Serial No. \_\_\_\_" and substitute  
therefor --Serial No. 08/822,119--.

At page 31, line 28, please delete "Serial No. \_\_\_\_" and substitute therefor  
--Serial No. 08/821,935--.

At page 32, line 11, please delete "Serial No. \_\_\_\_" and substitute therefor  
--Serial No. 08/822,119--.

#### In the Claims

Please cancel claims 1-29 and 33-35 without prejudice.

Please add the following new claims 36-48:

1       --36. (New Claim) The program product of claim 30, wherein the program  
2 further includes an evaluation module configured to select the selected program module  
3 based upon the objective criteria.

1       37. (New Claim) The program product of claim 36, wherein the program further  
2 includes a reinforcement learning module, coupled to the evaluation module and  
3 configured to adaptively select program modules based upon the performance of the  
4 plurality of program modules in handling the computer task.

1           38. (New Claim) The program product of claim 37, wherein the reinforcement  
2 learning module comprises an adaptive heuristic critic neural network.

1           39. (New Claim) The program product of claim 36, wherein the evaluation  
2 module is configured to retrieve information for a selected computer task, determine a  
3 selected value for the objective criteria for the selected computer task, and select as the  
4 selected program module one of the plurality of program modules which is matched with  
5 the selected value of the objective criteria.

1           40. (New Claim) The program product of claim 36, wherein the evaluation  
2 module is implemented in an agent manager.

1           41. (New Claim) The program product of claim 36, wherein the evaluation  
2 module is implemented in the intelligent agent.

1           42. (New Claim) The program product of claim 36, wherein the intelligent agent  
2 includes only the selected program module from the plurality of program modules, and  
3 wherein the evaluation module is configured to construct the intelligent agent using the  
4 selected program module.

1           43. (New Claim) The program product of claim 36, wherein the intelligent agent  
2 includes each of the plurality of program modules, and wherein the evaluation module is  
3 configured to execute only the selected program module to handle the computer task.

1           44. (New Claim) The program product of claim 36, wherein the plurality of  
2 program modules are additive program modules, and wherein the evaluation module is  
3 configured to select a subset of the plurality of program modules to handle the computer  
4 task.

1           45. (New Claim) The program product of claim 36, wherein the plurality of  
2 program modules are alternative program modules, and wherein the evaluation module is  
3 configured to select only one of the plurality of program modules to handle the computer  
4 task.

1           46. (New Claim) The program product of claim 30, wherein the intelligent agent  
2 is configured to conduct negotiations in an electronic commerce application, and wherein  
3 the domain knowledge for each of the plurality of program modules is related to the  
4 autonomy delegated thereto.

1           47. (New Claim) The program product of claim 46, wherein the plurality of  
2 program modules includes a semi-autonomous program module, a fully-autonomous  
3 program module, and a fully-dependent program module.

1           48. (New Claim) The program product of claim 46, wherein the objective criteria  
2 includes a risk that a dispatched agent is subjected to in negotiations.--

#### **Remarks**

          The above amendments are being made prior to the calculation of filing fees for  
the above-identified patent application. Moreover, the amendments are not directed to  
new matter, nor are they being made in response to any art-based rejection.  
5 Consideration and allowance of all pending claims is respectfully requested.

          If there are any questions regarding this paper, or which might otherwise further  
this case onto allowance, please contact the undersigned at (513)241-2324. Moreover, if

Date \_\_\_\_\_

Just A. Still

Page 5 of 5  
Serial No. FILED HERewith  
IBM Docket RO996-052L  
WH&E IBM/04B  
Preliminary Amendment  
K:\04B\Preliminary Amendment.wpd



APPARATUS AND METHOD FOR OPTIMIZING THE PERFORMANCE OF  
COMPUTER TASKS USING INTELLIGENT AGENT WITH MULTIPLE  
PROGRAM MODULES HAVING VARIED DEGREES OF DOMAIN KNOWLEDGE

5                   Cross-reference to Related Applications

          This application is related to the following U.S.  
Patent Applications, all of which were filed on even date  
herewith by Bigus et al: U.S. Serial No. \_\_\_\_\_  
entitled "INTELLIGENT AGENT WITH NEGOTIATION CAPABILITY  
10 AND METHOD OF NEGOTIATION THEREWITH", U.S. Serial No.  
\_\_\_\_\_ entitled "APPARATUS AND METHOD FOR COMMUNICATING  
BETWEEN AN INTELLIGENT AGENT AND CLIENT COMPUTER PROCESS  
USING DISGUISED MESSAGES" and U.S. Serial No. \_\_\_\_\_  
entitled "APPARATUS AND METHOD FOR OPTIMIZING THE  
15 PERFORMANCE OF COMPUTER TASKS USING MULTIPLE INTELLIGENT  
AGENTS HAVING VARIED DEGREES OF DOMAIN KNOWLEDGE". The  
disclosures of all of these applications are hereby  
incorporated by reference herein.

20                   Field of the Invention

          The invention is generally related to intelligent  
agent computer programs executable on computer systems and  
the like, and in particular, the use of such agents for  
performing specific tasks in a computer system.

25

Background of the Invention

          Since the advent of the first electronic computers in  
the 1940's, computers have continued to handle a greater  
variety of increasingly complex tasks. Advances in  
30 semiconductors and other hardware components have evolved  
to the point that current low-end desktop computers can  
now handle tasks that once required roomfuls of computers.

          Computer programs, which are essentially the sets of  
instructions that control the operation of a computer to  
35 perform tasks, have also grown increasingly complex and

powerful. While early computer programs were limited to performing only basic mathematical calculations, current computer programs handle complex tasks such as voice and image recognition, predictive analysis and forecasting, multimedia presentation, and other tasks that are too numerous to mention.

However, one common characteristic of many computer programs is that the programs are typically limited to performing tasks in response to specific commands issued by an operator or user. A user therefore must often know the specific controls, commands, etc. required to perform specific tasks. As computer programs become more complex and feature rich, users are called upon to learn and understand more and more about the programs to take advantage of the improved functionality.

In addition to being more powerful, computers have also become more interconnected through private networks such as local area networks and wide area networks, and through public networks such as the Internet. This enables computers and their users to interact and share information with one another on a global scale. However, the amount of information is increasing at an exponential rate, which makes it increasingly difficult for users to find specific information.

As a result of the dramatic increases in the both complexity of computer programs and the amount of information available to users, substantial interest has developed in the area of intelligent agent computer programs, also referred to as intelligent agents or simply agents, that operate much like software-implemented "assistants" to automate and simplify certain tasks in a way that hides their complexity from the user. With agents, a user may be able to perform tasks without having to know specific sequences of commands. Similarly, a user

may be able to obtain information without having to know exactly how or where to search for the information.

Intelligent agents are characterized by the concept of delegation, where a user, or client, entrusts the agents to handle tasks with at least a certain degree of autonomy. Intelligent agents operate with varying degrees of constraints depending upon the amount of autonomy that is delegated to them by the user.

Intelligent agents may also have differing capabilities in terms of intelligence, mobility, agency, and user interface. Intelligence is generally the amount of reasoning and decision making that an agent possesses. This intelligence can be as simple as following a predefined set of rules, or as complex as learning and adapting based upon a user's objectives and the agent's available resources. An intelligent agent's intelligence or skill as applied to a specific field or function is referred to as domain knowledge.

Mobility is the ability to be passed through a network and execute on different computer systems. That is, some agents may be designed to stay on one computer system and may never be passed to different machines, while other agents may be mobile in the sense that they are designed to be passed from computer to computer while performing tasks at different stops along the way. User interface defines how an agent interacts with a user, if at all.

Agents have a number of uses in a wide variety of applications, including systems and network management, mobile access and management, information access and management, collaboration, messaging, workflow and administrative management, and adaptive user interfaces. Another important use for agents is in electronic commerce, where an agent may be configured to seek out

other parties such as other users, computer systems and agents, conduct negotiations on behalf of their client, and enter into commercial transactions.

5 The relative performance of intelligent agents in  
handling certain tasks may vary between agents, e.g.,  
depending upon the degree of domain knowledge possessed  
thereby. However, an agent which performs well when  
handling a particular task in one instance may not perform  
10 the same type of task in other situations and under other  
circumstances. As a typical agent may experience a wide  
variety of situations when it is operating in a real world  
environment, a given agent will not always be able to  
provide its client with optimal performance. Moreover, it  
15 is often difficult, if not impossible, to develop an agent  
that is capable of handling all possible situations with  
equally proficient results.

For example, in electronic commerce applications,  
security is a major concern. Intelligent agents may be  
20 entrusted with the authority to sell or purchase products  
on behalf of a client, and may be dispatched to any number  
of computer systems in a network to perform negotiations.  
Often, the computer systems to which the agents are  
dispatched are remote to the client's system, and thus not  
25 under the direct control of the client. An agent may thus  
be subject to scrutiny by third parties, either through  
monitoring transmissions between the agent and its client,  
or through actual scanning and reverse compiling of the  
program code of the agent. In some instances, the risk  
30 may be segregated into transmission risk, which is  
associated with the transmission media between the agent  
and the client, and environment risk, which is associated  
with the environment in which the agent is resident. Each

type of risk may present unique concerns for a given agent.

Beyond the clear risk of discovering confidential information such as a client's credit card or bank account number, additional risks are posed when an agent is subject to scrutiny. As an example, an agent would be placed at a competitive disadvantage if any of its negotiation strategies, techniques or plans, or any specific instructions from its client, were discovered by other parties. If a message to an agent from its client indicates that the agent should offer \$100, but is authorized to go as low as \$90, another party that intercepts this message immediately knows that a transaction may be completed at the lower price. Also, even if the message is not intercepted, if the agent has stored the \$90 price as its lowest authorized offer, reverse compilation or scanning of the agent by another party may lead to similar results.

The degree of domain knowledge such as autonomy granted to an agent by its client, and the remaining domain knowledge retained by the client, may vary significantly for different agents. In general, however, the more domain knowledge that is imparted to an agent, the greater the security risk presented to the agent and its client.

Often, a tradeoff must be made between absolutely secure agent transactions with prohibitively high costs, and less secure agent transactions with acceptable costs. The greatest security would be obtained when most, if not all, of the domain knowledge for conducting negotiations is retained by the client, with only a limited intermediary agent sent out to relay messages between the client and the other party being negotiated with. However, this configuration would present significant time

and cost burdens on the client since all decision making would remain with the client, and since multiple messages would likely need to be transmitted between the client and the other party. Given these likely burdens, there would  
5 be little, if any, benefit in utilizing an agent at all. This would especially be the case in operating environments where the security risks are known to be small.

Security risks are also present for other  
10 applications of intelligent agents. For example, a client may have developed an agent with a unique search engine that greatly outperforms its competitors' designs. In certain operating environments, the agent may be more likely to be intercepted and copied by competitors -- a  
15 situation that the client would prefer to avoid. However, without an agent mechanism that appropriately balances cost and security, the industry will continue to be limited by today's solutions.

### Summary of the Invention

The invention addresses these and other problems associated with the prior art in providing a manner of optimizing the performance of a given computer task with an intelligent agent by utilizing one or more of a plurality of program modules suited to perform the computer task but having varied degrees of domain knowledge. Based upon an objective criteria that is determined for a given situation, an intelligent agent is configured to execute one or more of the program modules to perform the task. Consequently, the performance of the computer task by the intelligent agent is optimized for a wide variety of situations.

In an exemplary embodiment of the invention, program modules having varied levels of autonomy are used to conduct negotiations, with the projected security risk for a given negotiation being used as the objective criteria by which program modules are selected to conduct the negotiations. In unknown or untested environments, or in environments in which known security risks are present, a program module which merely acts as an intermediary between the client and another party is selected, leaving the majority of domain knowledge such as authority to complete transactions with the client. For other environments where the security risk is known to be not as great, program modules having more autonomy to conduct negotiations and complete transactions independent of the client are selected, thereby relieving the client of much of the burden of handling these particular negotiations. However, it should be appreciated that a vast number of objective criteria for selecting different agents may be used in the alternative, and thus the invention is not limited to this particular embodiment or application.

5



**Brief Description of the Drawing**

FIGURE 1 is a flowchart illustrating the operation of an agent manager in selecting one of a plurality of intelligent agents with varied degrees of domain knowledge to perform a computer task, consistent with the invention.

FIGURE 2 is a flowchart illustrating the operation of an agent manager in selecting within an intelligent agent one or more of a plurality of program modules with varied degrees of domain knowledge to perform a computer task, consistent with the invention.

FIGURE 3 is a flowchart illustrating the operation of an intelligent agent in selecting one or more of a plurality of program modules therein having varied degrees of domain knowledge to perform a computer task, consistent with the invention.

FIGURE 4 is a block diagram of a networked computer system environment for use with the illustrated embodiments of the invention.

FIGURE 5 is a block diagram of the networked computer system of Fig. 4, illustrating the interaction between intelligent agents therein.

FIGURE 6 is another block diagram of the networked computer system of Fig. 4, illustrating in greater detail the primary components in the client and remote computer systems.

FIGURE 7 is a block diagram of an exemplary agent manager and reinforcement learning module consistent with the invention, and for use in the selection of one of a plurality of agents having varied degrees of domain knowledge.

FIGURE 8 is a flowchart illustrating the operation of a semi-autonomous agent consistent with invention.

FIGURE 9 is a flowchart illustrating the operation of a fully-dependent agent consistent with invention.

FIGURE 10 is a flowchart illustrating the operation of a fully-autonomous agent consistent with invention.

FIGURE 11 is a block diagram of an exemplary intelligent agent having multiple program modules of  
5 varied degrees of domain knowledge.

FIGURE 12 is a block diagram of another exemplary intelligent agent constructed from program modules from one or more pools of program modules.

### Detailed Description of the Illustrated Embodiments

The embodiments of the invention are principally directed to optimizing the performance of computer tasks by intelligent agents in a wide variety of situations.

5        Intelligent agents are computer programs which have been delegated a degree of autonomy but which are limited to operating within constraints defined by their client (which may be, for example, another agent; a computer program, application or system; or an individual  
10        interacting with the agent through a computer -- hereinafter a client computer process). A subset of such agents which are capable of being passed between and operating in different applications or computer systems are referred to as mobile agents. In certain  
15        circumstances, the functions of a mobile agent, combined with the functions of an agent manager program that is resident in a client's computer system and interacts with the mobile agent, may cooperatively be considered as portions of a single intelligent agent where the domain  
20        knowledge has been allocated between home and mobile portions. However, as used herein, the term agent may be considered to include simply a portion or module of an agent resident in a computer system irrespective of whether any portion of the functionality for the agent as  
25        a whole is resident on another computer system or in another computer process.

      In general, an agent has the ability to sense, recognize and act. These functions are typically embodied in a number of components, including an engine, a  
30        knowledge component, an adapters component, a library, and a view component. Generally, the engine controls the overall operation of an agent and functions as the "brains" of the agent, and the knowledge component stores information that is representative of the acquired

knowledge of the agent. The adapters component handles interaction between an agent and external objects, thereby functioning as the mechanism through which the agent "senses" and interacts with its environment. A library  
5 persistently stores the information utilized by the knowledge component, and the view component provides the human interface, if any, for an agent, e.g., for supplying instructions to the agent.

Moreover, as discussed above, agents may have varied  
10 degrees of domain knowledge -- that is, intelligence and/or skills applied to a specific field or function, typically applied to a particular computer task. This may be exhibited through greater or lesser degrees of autonomy or authority, alternate processing strategies, different  
15 types and/or amounts of stored information, different sources of information, different capabilities (e.g., monitoring functionality vs. monitoring and response functionality), different goals or objective functions, different inputs or sensed values to which an agent may be  
20 responsive, alternate logic implementations (e.g., neural networks vs. procedural logic), etc.

For example, in the illustrated embodiments discussed in greater detail below, domain knowledge is represented in part by the degree of autonomy granted to an agent to  
25 conduct negotiations in electronic commerce applications as well as the inputs to which the agent is responsive and the knowledge present in the agent. In addition, in other electronic commerce applications, domain knowledge may represent different manners or strategies for achieving a  
30 desired goal, e.g., optimizing a negotiation strategy for one agent to maximize profit, while optimizing a strategy for another agent to maximize the number of completed transactions. Domain knowledge in such applications may

also be market dependent, e.g., where agents are optimized for automobile markets, stock markets, etc.

As another example, domain knowledge may represent a particular indexing or searching algorithm used by a data mining agent, e.g., where one particular searching algorithm may work better for legal cases while another may work better for technical documents. In other data mining applications, domain knowledge for one type of agent may include only the ability to monitor for problems, e.g., looking for low stock or late deliveries in an inventory monitoring agent. In other agents, the domain knowledge may also include the ability to respond, e.g., in the above inventory application, ordering low stock items, ordering alternates for late deliveries, or canceling orders when sales are low.

Domain knowledge may also simply represent different manners of performing the same or similar general task, e.g., for the purpose of disguising the identity of the agents' client, since differently-configured agents may present different characteristics when scanned by third parties. For example, this may permit differently-configured agents to be dispatched from a single client to conduct negotiations with a single party so that the agents play off one another to obtain more favorable results for the client.

Intelligent agents are typically programmed to handle particular computer tasks, which may include practically any operation performed on a computer. For example, in electronic commerce applications, the computer tasks for which agents are programmed to handle are typically that of conducting negotiations and completing transactions. For data mining applications, the computer tasks may be the indexing or retrieval of desired information from one or more databases.

Consistent with the invention, one or more objective criteria are used in the selection of one of a plurality of agents, or alternatively, one of a plurality of program modules in an agent, such that a given computer task is  
5 handled with optimal performance for its given situation. The plurality of agents (or program modules) are all configured to handle a common general computer task (e.g., "buy a car", "get me everything you can find out about company X", etc.), although the relative performance,  
10 capabilities, manners, and mechanisms by which the different agents (or program modules) operate to handle the task may nonetheless differ.

A program module (or mechanism) may be considered to include any function, object, or block of program code  
15 configured to perform a given computer task. A suitable objective criteria may represent practically any testable or measurable variable or variables that varies in different situations to which an agent may be exposed, and that may affect an agent's relative performance under  
20 those situations.

For example, in the illustrated embodiments discussed in greater detail below, the objective criteria is the perceived risk to an agent dispatched to a remote computer system, whether due to known risks or due to a lack of  
25 knowledge as to the risk inherent in an untested environment. The objective criteria may also include relative compute or transmission speeds, or the perceived risk of a particular transmission media, which may be used to determine whether domain knowledge related to  
30 disguising or encrypting messages is implemented in a dispatched agent.

Other examples of objective criteria may include the source of information for data mining applications (e.g., particular domains or databases, or types of data), user

approval or feedback (e.g., a qualitative assessment of performance by a user), and profits or costs for electronic commerce applications, among others.

Selection of agents or program modules within agents  
5 based upon the objective criteria will vary depending upon  
the particular objective criteria and types of situations  
to which the agent(s) may be exposed. For example, for  
the illustrated embodiments discussed in greater detail  
below, the risk to an agent may be tested based upon the  
10 IP address of the remote system to which an agent is to be  
dispatched, and any identifying information about the  
other party to a negotiation, among others. Separate risk  
factors may also be monitored for the transmission media  
and the agent's resident environment such that domain  
15 knowledge specific to each type of risk may be separately  
utilized as necessary.

For data mining applications, the source of  
information could be tested based upon the IP address of  
the database being searched, the type of information being  
20 sought, etc. In electronic commerce and other  
applications, the reliability of data could also be tested  
by looking at the source thereof (e.g., prices retrieved  
from a bulletin board may be more reliable than prices  
quoted in a magazine article), and/or by comparing the  
25 similarity of the data to the type of information being  
sought. Also, the volatility of a market or the type,  
quantity or value of particular classes of goods may be  
tested (e.g., a car buying agent may warrant or require a  
more aggressive negotiation strategy than a compact disc  
30 buying agent).

In addition, selection based upon an objective  
criteria may occur dynamically, and may even be updated  
from time to time. For example, an agent may be  
configured to dynamically select program modules in

response to changing circumstances such as changes in market conditions, changes in size, speed, or other capacity of a remote site, and new input from a client (e.g., as related to information that is otherwise  
5 unavailable to an agent while resident in a remote system), among others.

Agents or program modules may be matched with particular values of an objective criteria to assist in the selection of agents or program modules. The matching  
10 may be as simple as a mapping or table matching agents/program modules and values of the objective criteria, or may include predictive and interpretive logic such as provided by factor weighting, neural networks, expert systems, fuzzy logic systems, etc. to attempt to  
15 select the most appropriate agent/program module even when no direct match exists for a given value of the objective criteria.

Moreover, selection based upon the objective criteria may be adaptively controlled. For example, the actual  
20 results and relative performance of agents dispatched to perform particular tasks may be analyzed and used to modify the selection of agents for given values of the objective criteria. To this extent, a reinforcement learning module, implemented for example in a neural  
25 network, may be particularly well suited for use in agent or program module selection consistent with the invention.

As discussed above, the objective criteria may be used to select between a plurality of agents, or between a plurality of program modules in an agent, that have varied  
30 degrees of domain knowledge. The program flow for dispatching one of a plurality of agents based upon an objective criteria is illustrated by agent manager 200 in Fig. 1. In block 201, a request to perform a task is received, and in block 202 the objective criteria is



tested by the agent manager. Next, in block 204, an agent is selected, based upon the objective criteria, from a pool of agents having varied degrees of domain knowledge. In block 206, the selected agent is dispatched to perform its task, and in block 208, the performance of the agent upon completion of the task is optionally analyzed if adaptive agent selection is utilized.

Similarly, the program flow for selecting one or more of a plurality of program modules based upon an objective criteria is illustrated by agent manager 210 in Fig. 2. In block 211, a request to perform a task is received, and in block 212 the objective criteria is tested by the agent manager.

Next, in block 214, one or more program modules are selected, based upon the objective criteria, from a plurality of program modules having varied degrees of domain knowledge. In some embodiments, one of a plurality of available program modules may be selected. For example, program modules may have duplicate functionality that is implemented in alternate manners. In such instances, only one module may be selected.

In other embodiments, individual program modules may have additive or non-overlapping functionality so that multiple program modules (e.g., a subset of program modules) are selected in a given agent. For example, one program module may provide basic domain knowledge, with additional program modules selected as necessary to add additional domain knowledge to more sophisticated agents.

In addition, the agent may need to be configured for proper execution of the appropriate program module or modules. For example, if an agent is provided with both selected and non-selected program modules (e.g., where duplicative functionality is provided by different alternative modules), an agent may be configured by

initializing, sending a message or setting a variable in the agent specifying which program module or modules to execute. In the alternative, an agent may be constructed from component parts prior to its dispatch, whereby the agent may be configured by bundling all of the selected program modules with any necessary components that are generic to all of an agents' permutations.

Next, in block 216, the configured agent is dispatched to perform its task, and in block 218, the performance of the agent upon completion of the task is optionally analyzed if adaptive selection is utilized.

It should also be appreciated that the functions of testing the objective criteria, selecting agents or agent program modules based upon the objective criteria, and/or analyzing the performance of agents need not be performed by an agent manager or other computer process resident in the client computer system, but may be performed by any suitable evaluation module or program. In addition, performance analyzation may also rely on a user's subjective assessment. A separate agent may be utilized as an evaluation module to perform any or all of these functions. Also, any of these functions may be implemented in the agent that has been dispatched to perform a task, whereby the agent includes an evaluation module.

For example, as illustrated in Fig. 3, an agent may receive a task request in block 221, test the objective criteria in block 222, select the appropriate program module in block 224 and execute the selected program module in block 226 to perform the task. In addition, the agent may analyze its performance in block 228 if desired. The above-described configuration has a number of benefits. For example, in electronic commerce applications, an agent could be dispatched with a task to

seek out negotiations on multiple remote systems, whereby the agent would have the ability to dynamically determine the risk at each remote system and alter its behavior accordingly.

5

#### Exemplary Hardware/Software Environment

A representative hardware environment suitable for use with the illustrated embodiments of the invention is illustrated in Fig. 4, where a networked computer system 10 generally includes one or more computer systems, e.g., single-user computer systems 16, 18 and multi-user computer systems 20, 60, coupled through a network 15. Multi-user computer system 20 typically includes one or more servers 25 to which one or more single-user computers 22 may be networked through a separate network 24. Similarly, multi-user computer system 20 typically includes one or more servers 65 coupled to one or more single-user computer systems 62 through a network 64. Network 15 may represent any type of networked interconnection, including but not limited to local-area, wide-area, wireless, and public networks (e.g., the Internet).

It is anticipated that agents consistent with the invention may originate in and be resident from time to time on any of the above-mentioned computer systems. One possible distinction between the computer systems for the purposes of the invention may be whether each is a client or a remote system relative to a particular agent. For example, Fig. 5 illustrates an embodiment of computer system 10 where multi-user computer system 20 is a client system, and multi-user computer system 60 is a remote system.

A client system will hereinafter refer to a computer system that provides an agent a certain level of security

from manipulation by other parties when the agent is resident on the system. The client system is also the computer system from which management of the agent is typically handled. The agent typically but not  
5 necessarily will also originate from the client system.

A remote system, on the other hand, will hereinafter refer to a computer system that is typically not capable of providing a desired level of security for an agent, generally because the computer system is not under the  
10 control of the client. It is typically while resident on a remote system that an agent runs the greatest risk of being scanned or reverse compiled, or of having communications intercepted or monitored, by other parties.

The various embodiments described hereinafter have  
15 principal uses in electronic commerce applications, where agents are configured to negotiate commercial transactions, generally in the role of buying or selling agents. The agents may negotiate with other agents, other computer systems, or even other individuals. The agents  
20 may interact one-on-one, or may be capable of operating within a "market" of multiple agents, along the lines of a stock or commodity market. Computer systems having the ability to host agents for interaction therebetween include negotiating programs of varying sophistication and  
25 are hereinafter referred to as agent hosts. However, it should be appreciated that the invention applies equally to other applications of intelligent agents, and thus should not be limited specifically to electronic commerce applications.

30 Fig. 5 illustrates a mobile intelligent agent 100 which communicates with an agent manager 32 in client system 20. During negotiation with another party such as negotiating agent 95, mobile agent 100 is resident on remote system 60. It should be appreciated that remote

system 60 may be the client for agent 95, or may also be considered to be remote relative to this agent as well.

5 An exemplary functional design of networked computer system 10 for implementing various embodiments of the invention is illustrated in Fig. 6. Server 25 of client system 20 generally includes a central processing unit (CPU) 28 coupled to a memory 30 and storage 40 over a bus 54. A local area network interface is provided at 52, and an interface to remote system 60 over external network 15 is provided through interface 50. Agent manager program 32 is resident in memory 30, as is a reinforcement learning module 34 that enables the agent manager to adaptively optimize the performance of tasks. Storage 40 includes one or more agents 42 (of which may include agent 15 100, for example), which are computer programs or modules that may be retrieved and used locally within system 20, or dispatched to remote systems to execute and perform tasks on behalf of the client system. Storage 40 also includes an agent mission database 44 which may track 20 agent operations and the relative success or failure thereof.

Server 65 of remote system 60 also includes a CPU 68 coupled to a memory 70, storage 80, external network connection 90 and local network connection 92 over a bus 25 94. An agent host program 72 is resident in memory 70 to handle interactions between agents resident in the remote system. Typically, the agent host program is an asynchronous message/event driven environment that provides a common platform over which agent computer 30 programs execute and interact, much like an operating system. The agent host is also capable of permitting messages to be sent between agents and their clients. Memory 70 also includes a negotiating program 74 which operates as the "other party" in transactions with agent

100, which may be another agent, a market or bulletin board application, or even an interface program through which an individual interacts with agent 100. Storage 80 maintains a transaction history database 82 which logs the transactions completed on the server.

Servers 25, 65 may be, for example, AS/400 midrange computers from International Business Machines Corporation. However, it should be appreciated that the hardware embodiments described herein are merely exemplary, and that a multitude of other hardware platforms and configurations may be used in the alternative.

Moreover, while the invention has and hereinafter will be described in the context of fully functioning computer systems, those skilled in the art will appreciate that the various embodiments of the invention are capable of being distributed as a program product in a variety of forms, and that the invention applies equally regardless of the particular type of signal bearing media used to actually carry out the distribution. Examples of signal bearing media include but are not limited to recordable type media such as floppy disks, hard disk drives, and CD-ROM's, and transmission type media such as digital and analog communications links.

#### Negotiating Agents with Adaptive Agent Selection

Fig. 7 illustrates an exemplary configuration of client computer system 20 for providing adaptive agent selection consistent with the invention. Agent manager 32 is coupled to a reinforcement learning module 34 through which analysis of agent performance and control of agent selection is performed. Agent manager 32 is shown coupled to a pool of agents 42 having varied degrees of domain knowledge, or alternatively, to one or more pools of

program modules 42' having varied degrees of domain knowledge. A dispatched agent 100 communicates with agent manager 32 to conduct negotiations on behalf of the client.

5        One or more information sources 56 are also coupled to agent manager 32 to enable it to obtain the factor or factors for testing the objective criteria (in this embodiment, security or risk). Information sources 56 may include internal databases updated by manager 32 or other  
10       components in client system 20, as well as external databases.

For example, risk may be determined by maintaining a database of one or more risk factors for particular destinations, addresses or parties being negotiated with.  
15       To this extent, information about a remote system or other agents may be obtained by the agent manager, such as a name or identification, an operating system, a type of communication port, a client, a bank and/or bank account number, a homebase address, the name or identification of  
20       an agent program, the size of an agent program, where messages and other communications with an agent originate, and/or the pattern of input/output (I/O) compared to CPU cycles for I/O transmissions. Also, the agent manager may attempt to retrieve a credit card number or bank account  
25       number from an unknown agent and validate the number. Moreover, an unknown agent may be scanned and compared to other known agents, e.g., comparing the percentage of identical code, determining the language the agent was written in, or searching for unique patterns in much the  
30       same manner as a virus checking program.

Risk may also be analyzed over time based upon the actual performance of dispatched agents, e.g., by monitoring the number of dispatched agents that disappear, or the length of time between communications from

dispatched agents. Also, risk may be analyzed by monitoring dispatched agents for tampering, e.g., by performing checksums or cyclic redundancy checks, analyzing binary signatures, etc. Either the agent manager or the agents themselves may be used to detect any tampering. Risk may also be analyzed by monitoring the behavior of other parties being negotiated with.

In addition, risk may be measured based upon the profitability of agents. For example, the performance of a negotiating agent may be measured in terms of the number of complete transactions, gross income of all transactions, net profit of all transactions, etc. The performance may then be offset by the costs of using the agent, e.g., in terms of the time required to complete transactions, local/remote CPU charges, communication (on-line) charges, etc. If an agent is compromised in some way, where another party gains a negotiating advantage, a negative impact on profitability would be observed.

Agent manager 32 provides inputs to reinforcement learning module 34 to permit module 34 to perform the functions of estimating risk over time and selecting agents or agent program modules. Module 34 maintains a mapping between agents/program modules and different levels or types of risk, so that an appropriate agent/program module is selected depending upon the measured level or type of risk to a dispatched agent under the current circumstances.

Agent manager 32 provides optimum agent performance data related to a desired task for which to test the objective criteria. In response, module 34 outputs a control action output back to agent manager 32 to control which agent or agent program module should be selected and dispatched for performing the given task. Also, when a dispatched agent is returned and analyzed, agent manager



32 provides actual performance data to adaptively modify the selection functionality of module 34.

In the illustrated embodiment, an adaptive heuristic critic neural network architecture is utilized in module 5 34 to provide adaptive reinforcement learning. The design, training and operation of an adaptive heuristic critic neural network is well known in the art. For example, one suitable development environment for performing the development and training of such a neural 10 network is the IBM Neural Network Utility available from International Business Machines Corporation, among others.

Module 34 includes a sensor 36 which compares desired (optimum) agent performance and actual agent performance and generates a scalar reinforcement reward/penalty value 15 therefrom. A critic network 37 provides temporal difference learning in response to the actual agent performance data and the reinforcement value from the sensor. Critic network 37 outputs a utility signal that is back propagated to a plurality of action networks 38.

20 An action network 38 is provided for each agent or program module. Each action network receives agent performance data and outputs therefrom an action merit signal to a stochastic action behavior block 39. Block 39 probabilistically chooses an action (here, which one of 25 the agents or program modules to dispatch), and outputs therefrom a control action signal representative thereof to agent manager 32. Block 39 introduces randomness to agent selection to widen its search space, which has been found to improve long term performance of the module.

30 Module 34 adaptively modifies its selection of agents based upon the analyzed performance of a dispatched agent. If an agent performs well, sensor 36 reinforces critic network 37, which in turn reinforces the corresponding action network 38 such that it is more likely that the

same agent/program module is selected under similar circumstances. On the other hand, if an agent performs poorly, sensor 36 negatively reinforces critic network 37, which in turn reduces its utility output to action networks 38 to reduce the likelihood that the same agent/program modules is selected under similar circumstances.

In the alternative, other reinforcement learning modules and algorithms may be used. For example, other neural network architectures, such as Q-Learning neural networks, Bayesian networks, dynamic programming techniques, among others, may be used.

Module 34 may be initially trained in a manner known in the art, e.g., by using example training records. In the alternative, module 34 may simply be initialized with predetermined or random networks which act as a starting reference point from which the module adaptively learns. The former approach often improves the quality of the initial decisions made by the module in operation.

Agent pool 42 includes a plurality of agents in which the domain knowledge thereof varies in the degree of autonomy delegated thereto during negotiations, the internal knowledge therein, and the inputs to which an agent is responsive thereto. At one extreme, a simple intermediary agent, or fully dependent agent, may have little domain knowledge in that the agent merely serves the function of passing messages between a client and another party to a negotiation, such that authority for determining offers, accepting or rejecting offers, implementing negotiation strategies, etc. rests fully with the client. At the other extreme, a fully autonomous agent may be provided with the basic parameters for a desired transaction and thereafter entrusted with the authority to complete such a transaction free from any

additional input on the part of the client. Between these extremes, one or more additional agents, referred to as semi-autonomous agents, may be entrusted with the ability to conduct limited negotiations. One possible semi-

5 autonomous agent may be authorized to conduct negotiations for a limited number of offer iterations, but with final authority for approving an agreed-upon transaction still resting with the client. Other possible degrees of domain knowledge between the extremes are also possible.

10 Fig. 8 illustrates an exemplary program flow for negotiation with a semi-autonomous agent which has authority to negotiate with another party with limits on the offer amount and the number of iterations (offers made by the agent) that the agent can undertake on its own.

15 The interaction between the agent and an agent manager on a client system, and the other party being negotiated with (another agent, computer process or system, or individual interacting through a computer), is also illustrated.

For the semi-autonomous agent, negotiations are

20 instituted after the agent manager selects the agent from the agent pool and dispatches the agent, as illustrated in blocks 130 and 131. It should be appreciated that the agent may be dispatched with a desired transaction or transactions which the client wishes to complete

25 (including information such as desired quantity, description of goods/services to be sold/purchased, etc.), as well as any other constraints placed upon the agent by the manager (e.g., the number of negotiation iterations to process, a maximum or minimum limit on the amount to

30 offer, etc.). In the alternative, some or all of this information may be relayed to the agent at a later time by the agent manager.

Next, in block 132, the agent gathers information after it has been dispatched to the remote system. For

example, the agent may poll a bulletin board or market for outstanding offers, or may attempt to find and initiate negotiations with another party, e.g., another computer system, another agent, or an individual interacting through a computer system. The agent may also simply wait for incoming offers from other parties. Block 132 also performs the functions of processing messages from other parties and from the agent manager.

Next, in response to input received by the agent, a decision is made in block 134. It is in this block that a negotiation strategy of the agent is implemented, whereby the agent determines, based upon the input it receives, whether and how to proceed in negotiations with another party.

Generally, one of three actions may be instituted in response to block 134. First, as illustrated by block 136, a message may be sent to the other party, e.g., indicating acceptance or rejection of an outstanding offer, issuing an offer or counteroffer, terminating negotiations, requesting that the other party wait, etc. The other party receives the message at block 138 and processes it at block 140, typically issuing a response message back to the agent. Control then returns to block 132 to process the response message from the other party.

Second, as illustrated by block 142, the agent may decide to send a message back to the agent manager. The agent manager then receives the message at block 144, processes the message in block 146 and sends a response message back to the agent in block 148. In block 150, the agent receives the message and passes control to block 132 to process the response message from the agent manager. Also, as disclosed in U.S. Patent Application Serial No. \_\_\_\_\_, entitled "APPARATUS AND METHOD FOR COMMUNICATING BETWEEN AN INTELLIGENT AGENT AND CLIENT COMPUTER PROCESS

USING DISGUISED MESSAGES" (which has been incorporated by reference), the messages between the agent and its manager may be disguised to impede scrutiny by third parties.

Third, as illustrated by block 152, the agent may  
5 decide to leave the remote system and return to its client system, e.g., after completion of a successful transaction or after termination of an unsuccessful negotiation. An agent may "leave" when its program code is moved or transmitted from the remote system to the client system.  
10 In the alternative, an agent may transmit any necessary information (e.g., domain knowledge and/or results) to the client system and terminate on the remote system.

The return of the agent is illustrated in block 154. Then, in block 156, the performance of the agent may be  
15 analyzed in the manner discussed above.

Fig. 9 illustrates an exemplary program flow for negotiation with a fully-dependent agent which acts principally as an intermediary with no authority to negotiate with another party without specific instructions  
20 from the agent manager. As with the semi-autonomous agent, negotiations are instituted after the agent manager selects the agent from the agent pool and dispatches the agent, as illustrated in blocks 160 and 162. Next, in block 164, the agent gathers information after it has been  
25 dispatched to the remote system. Block 164 also performs the functions of processing messages from other parties.

Next, in response to input received by the agent (typically as a result of an offer being received from another party), a message is sent to the agent manager in  
30 block 166. The agent manager then receives the message at block 168, processes the message in block 170 and sends a response message back to the agent in block 172. As with the semi-autonomous agent, messages between the agent and

agent manager may be disguised to impede scrutiny by third parties.

Next, in block 174, the agent receives the message and passes control to block 176 to process the instruction provided in the response message. Generally, one of two

actions may be instituted in response to block 176. First, as illustrated by block 178, a message may be sent to the other party, e.g., indicating acceptance or rejection of an outstanding offer, issuing an offer or counteroffer, terminating negotiations, requesting that the other party wait, etc. The other party receives the message at block 180 and processes it at block 182, typically issuing a response message back to the agent.

Control then returns to block 164 to process the response message from the other party.

Second, as illustrated by block 184, the agent may decide to leave the remote system and return to its client system, e.g., after completion of a successful transaction or after termination of an unsuccessful negotiation. The return of the agent is illustrated in block 186. Then, in block 188, the performance of the agent may be analyzed in the manner discussed above.

Fig. 10 illustrates an exemplary program flow for negotiation with a fully-autonomous agent which has full authority to conduct negotiations with little or no supervision by the agent manager. As with the semi-autonomous agent, negotiations are instituted after the agent manager selects the agent from the agent pool and dispatches the agent, as illustrated in blocks 190 and 191. Next, in block 192, the agent gathers information after it has been dispatched to the remote system. Block 192 also performs the functions of processing messages from other parties.

Next, in response to input received by the agent (typically as a result of an offer being received from another party), control passes to block 193 to make a decision based upon the inputs to the agent. It is in this block that a negotiation strategy of the agent is implemented, whereby the agent determines, based upon the input it receives, whether and how to proceed in negotiations with another party.

Generally, one of two actions may be instituted in response to block 193. First, as illustrated by block 194, a message may be sent to the other party, e.g., indicating acceptance or rejection of an outstanding offer, issuing an offer or counteroffer, terminating negotiations, requesting that the other party wait, etc. The other party receives the message at block 195 and processes it at block 196, typically issuing a response message back to the agent. Control then returns to block 192 to process the response message from the other party.

Second, as illustrated by block 197, the agent may decide to leave the remote system and return to its client system, e.g., after completion of a successful transaction or after termination of an unsuccessful negotiation. The return of the agent is illustrated in block 198. Then, in block 199, the performance of the agent may be analyzed in the manner discussed above.

Any number of negotiation strategies and features may be incorporated into any of the agents in agent pool 42. For example, U.S. Patent Application Serial No. \_\_\_\_\_, entitled "INTELLIGENT AGENT WITH NEGOTIATION CAPABILITY AND METHOD OF NEGOTIATION THEREWITH", which has been incorporated by reference, discloses a suitable negotiation strategy which relies on the previous and current offers from the agent as well as the previous and current prices offered by the other party. A number of

additional negotiation features implemented in the  
aforementioned application may also be used, including  
dynamic value determination, disguising negotiation  
strategy by randomizing an agent's behavior, and limiting  
5 unproductive negotiations by constraining an agent's  
behavior, among others. Other negotiation strategies and  
features may also be used consistent with the invention.

Moreover, any of the agents in agent pool 42 may be  
implemented using neural networks for implementing  
10 decision making and/or message disguising, as disclosed in  
U.S. Patent Application Serial No. \_\_\_\_\_, entitled  
"APPARATUS AND METHOD FOR COMMUNICATING BETWEEN AN  
INTELLIGENT AGENT AND CLIENT COMPUTER PROCESS USING  
DISGUISED MESSAGES" (which has been incorporated by  
15 reference). For example, for a semi-autonomous agent, a  
neural network may be configured to receive the following  
inputs:

- other party's last price
- other party's current price
- 20 • agent's last public offer
- product characteristics
- instruction from manager:
  - increase in offer authorized
  - increase in iterations authorized
  - 25 • increase in offer not authorized
  - increase in iterations not authorized
- last message sent back to manager

In addition, the neural network may be configured to  
generate the following outputs:

- 30 • public price offer
- message to other party
  - make offer



- withdraw offer
- accept
- reject
- counteroffer
- 5     • please wait
- finished
- message to manager
  - probable acceptable alternative, do you accept
  - iterations exceeded, recommend continue
  - 10    • iterations exceeded, recommend withdrawal
  - recommend immediate withdrawal
  - dummy transmission to motivate negotiation
  - request approval to increase offer

For a fully-dependent agent, a neural network may be  
 15 configured to receive the following inputs:

- other party's last price
- other party's current price
- number of iterations
- agent's last public offer
- 20    • product characteristics
- instruction from manager:
  - buy or sell
  - withdraw
  - counteroffer

25     In addition, the neural network may be configured to  
 generate the following outputs:

- public price offer
- message to other party
  - make offer
  - 30    • withdraw offer

- accept
  - reject
  - counteroffer
  - finished
- 5       • message to manager
- current price offer
  - other party's current price
  - feature presence

For a fully-autonomous agent, a neural network may be  
 10 configured to receive the following inputs:

- other party's last price
  - other party's current price
  - number of iterations
  - agent's last public offer
- 15       • product characteristics

In addition, the neural network may be configured to  
 generate the following outputs:

- public price offer
  - message to other party
- 20       • make offer
- withdraw offer
  - accept
  - reject
  - counteroffer
- 25       • finished

Moreover, for training purposes, additional  
 information may also be used in the generation of suitable  
 training records for any of the above agents, although  
 such information is not directly input to the neural  
 30 network. Such information may include:

- desired price and features

- agent autonomy price range (range of prices within which agent is authorized to negotiate autonomously)
- 5      • manager approval price range (range of prices within which agent requires approval from manager)
- acceptable iterations allowed without approval

It should be appreciated that other agents implementing alternate negotiation strategies and decision making processes, and with other degrees of autonomy between fully-autonomous and fully-dependent, may be used 10 in the alternative. Moreover, it should be appreciated that other functionality may be required for the autonomous operation of any of the agents in agent pool 42, and that such additional functionality may be 15 implemented via procedural logic and/or neural networks. For example, functions such as initialization, maintenance, finding other agents or markets to interact with, etc. may also be utilized. However, as these functions relate more to the basic operation of an agent, 20 which is in general known in the art, these functions will not be discussed in any greater detail herein.

Referring again to Fig. 7, as discussed above, agent manager 32 may select from multiple program modules of varied degrees of domain knowledge to perform a desired 25 computer task. Agent manager 32 may utilize an agent from pool 42 having multiple program modules with varied degrees of domain knowledge, and then configure the agent to execute a selected program module based upon the objective criteria.

30      For example, as shown in Fig. 11, agent manager 32 may utilize an agent 300 that includes a main module 302 which oversees the operations of the agent, and a communications module 304 that handles communications between the agent and its manager, and between the agent 35 and other parties. Moreover, one or more additional

program modules 306-308 are interconnected to main module 302 to provide alternate functionality for the agent.

Program module 306 implements a semi-autonomous functionality which operates in the manner disclosed above  
5 for the semi-autonomous agent of Fig. 8. Program module 307 implements a fully-dependent functionality which operates in the manner disclosed above for the fully-dependent agent of Fig. 9. Program module 308 implements a fully-autonomous functionality which operates in the  
10 manner disclosed above for the fully-autonomous agent of Fig. 10.

Selection of which of modules 306-308 may be made by agent manager, in the manner disclosed above with reference to Fig. 7. In the alternative, selection of  
15 program modules based upon an objective criteria may be made internally within the agent, e.g., using predetermined selection criteria (e.g., to employ different negotiation strategies depending upon the time of day, etc.), or using an optional reinforcement learning  
20 module 309 which operates in a similar manner to module 34 discussed above. It should be appreciated that when selection is performed within an agent, selections may be updated from time to time to adapt the behavior of the agent in view of changing circumstances.

As also illustrated in Fig. 7, agent manager 32 may  
25 rely on one or more pools of program modules 42' to construct a task-specific agent depending upon an objective criteria. For example, as shown in Fig. 12, agent manager 32 may construct an agent 310 from a number  
30 of components. First, components which are generic to all permutations of an agent may be utilized, e.g., a main module 312 and communications module 314.

Second, components may be selected from pluralities of alternate program modules. For example, in one

embodiment where the decision logic of an agent is implemented in a neural network, a pool 320 of decision logic neural network modules may be provided, with another pool 322 of price range filters used to optimize the operation of the neural network modules for different price ranges. The use of the latter pool 322 permits the modules in pool 320 to be price independent so that, when agent manager 32 is required to dispatch an agent to conduct transactions for a particular product in a particular price range, the agent manager merely selects an appropriate decision logic network module from pool 320 (e.g., semi-autonomous program module 316) and price range filter from pool 322 (e.g., price range C filter 318). Other manners of customizing the modules in pool 320 may be envisioned, e.g., selecting from different requirements filters to optimize an agent for different products. Also, both procedural and neural network implemented decision logic modules may be included in pool 320 so that, depending upon the risk to a dispatched agent, either type of logic may be utilized.

Third, instead of selecting among alternate program modules, agent manager 32 may add additive program modules to enhance the domain knowledge of the dispatched agent. For example, in one embodiment, a pool of optional modules 324 may be provided with, among other modules, a time monitor module 319 that permits the negotiation strategy of the agent to vary depending upon the time of day (e.g., for markets which tend to be more volatile at the end of the day, module 319 may implement a more conservative negotiation strategy than otherwise employed). Other optional functionality may be implemented. For example, agent performance monitoring may optionally be included within agent 310 if desired.

Any number of programming languages and underlying platforms may be utilized to implement agents consistent with the invention. For example, Java and other object oriented programming languages are particularly well suited for use with agents implementing multiple program modules having varied degrees of domain knowledge, as separate classes implementing each of the alternate program modules may be interconnected with one another in a single package.

Other modifications may be made to the illustrated embodiments without departing from the spirit and scope of the invention. Therefore, the invention lies solely in the claims hereinafter appended.

## WHAT IS CLAIMED IS:

- 1           1. A method of handling a computer task using an  
2 intelligent agent, the method comprising the steps of:  
3           (a) based upon an objective criteria, selecting  
4 at least one selected program module from a plurality  
5 of program modules having varied degrees of domain  
6 knowledge, wherein the plurality of program modules  
7 are configured to handle a common computer task; and  
8           (b) configuring an intelligent agent to execute  
9 the at least one selected program module to handle  
10 the computer task.
- 1           2. The method of claim 1, wherein the intelligent  
2 agent includes only the selected program module from the  
3 plurality of program modules, and wherein the configuring  
4 step includes the step of constructing the intelligent  
5 agent using the selected program module.
- 1           3. The method of claim 1, wherein the intelligent  
2 agent includes each of the plurality of program modules,  
3 and wherein the configuring step includes the step of  
4 configuring the intelligent agent to execute only the  
5 selected program module to handle the computer task.
- 1           4. The method of claim 1, wherein the selecting step  
2 is performed by the intelligent agent.
- 1           5. The method of claim 1, wherein the selecting step  
2 is performed by an agent manager.
- 1           6. The method of claim 1, wherein the plurality of  
2 program modules are additive program modules, and wherein  
3 the selecting step includes the step of selecting a subset

4 of the plurality of program modules to handle the computer  
5 task.

1 7. The method of claim 1, wherein the plurality of  
2 program modules are alternative program modules, and  
3 wherein the selecting step includes the step of selecting  
4 only one of the plurality of program modules to handle the  
5 computer task.

1 8. The method of claim 1, wherein the selecting step  
2 includes the step of adaptively selecting the selected  
3 program module using a reinforcement learning algorithm.

1 9. The method of claim 8, further comprising the  
2 steps of:

3 (a) obtaining performance information relating  
4 to the performance of the selected program module in  
5 handling the computer task; and

6 (b) supplying the performance information to  
7 the reinforcement learning algorithm.

1 10. The method of claim 8, wherein the reinforcement  
2 learning algorithm is implemented in an adaptive heuristic  
3 critic neural network.

1 11. The method of claim 1, wherein the selecting  
2 step includes the steps of:

3 (a) matching each of the plurality of program  
4 modules with a value of the objective criteria;

5 (b) determining a selected value of the  
6 objective criteria; and

7 (c) selecting as the selected program module a  
8 program module matching the selected value of the  
9 objective criteria.



1        12. The method of claim 11, wherein the selecting  
2 step further includes the step of retrieving information  
3 for a selected computer task, wherein the determining step  
4 determines the selected value of the objective criteria  
5 using the retrieved information.

1        13. The method of claim 1, wherein the intelligent  
2 agent is configured to conduct negotiations in an  
3 electronic commerce application, and wherein the domain  
4 knowledge for each of the plurality of program modules is  
5 related to the autonomy delegated thereto.

1        14. The method of claim 13, wherein the plurality of  
2 program modules includes a semi-autonomous program module,  
3 a fully-autonomous program module, and a fully-dependent  
4 program module.

1        15. The method of claim 13, wherein the objective  
2 criteria includes a risk that a dispatched agent is  
3 subjected to in negotiations.

1        16. An apparatus for handling a computer task,  
2 comprising:  
3            an intelligent agent including at least one of a  
4 plurality of program modules having varied degrees of  
5 domain knowledge, wherein the plurality of program  
6 modules are configured to handle a common computer  
7 task, and wherein, based upon an objective criteria,  
8 at least one selected program module from the  
9 plurality of program modules is selected to handle  
10 the computer task.

1        17. The apparatus of claim 16, further comprising an  
2        evaluation module configured to select the selected  
3        program module based upon the objective criteria.

1        18. The apparatus of claim 17, further comprising a  
2        reinforcement learning module, coupled to the evaluation  
3        module and configured to adaptively select program modules  
4        based upon the performance of the plurality of program  
5        modules in handling the computer task.

1        19. The apparatus of claim 18, wherein the  
2        reinforcement learning module comprises an adaptive  
3        heuristic critic neural network.

1        20. The apparatus of claim 17, wherein the  
2        evaluation module is configured to retrieve information  
3        for a selected computer task, determine a selected value  
4        for the objective criteria for the selected computer task,  
5        and select as the selected program module one of the  
6        plurality of program modules which is matched with the  
7        selected value of the objective criteria.

1        21. The apparatus of claim 17, wherein the  
2        evaluation module is implemented in an agent manager.

1        22. The apparatus of claim 17, wherein the  
2        evaluation module is implemented in the intelligent agent.

1        23. The apparatus of claim 17, wherein the  
2        intelligent agent includes only the selected program  
3        module from the plurality of program modules, and wherein  
4        the evaluation module is configured to construct the  
5        intelligent agent using the selected program module.

6        24. The apparatus of claim 17, wherein the  
7 intelligent agent includes each of the plurality of  
8 program modules, and wherein the evaluation module is  
9 configured to execute only the selected program module to  
10 handle the computer task.

1        25. The apparatus of claim 17, wherein the plurality  
2 of program modules are additive program modules, and  
3 wherein the evaluation module is configured to select a  
4 subset of the plurality of program modules to handle the  
5 computer task.

1        26. The apparatus of claim 17, wherein the plurality  
2 of program modules are alternative program modules, and  
3 wherein the evaluation module is configured to select only  
4 one of the plurality of program modules to handle the  
5 computer task.

1        27. The apparatus of claim 16, wherein the  
2 intelligent agent is configured to conduct negotiations in  
3 an electronic commerce application, and wherein the domain  
4 knowledge for each of the plurality of program modules is  
5 related to the autonomy delegated thereto.

1        28. The apparatus of claim 27, wherein the plurality  
2 of program modules includes a semi-autonomous program  
3 module, a fully-autonomous program module, and a fully-  
4 dependent program module.

1        29. The apparatus of claim 27, wherein the objective  
2 criteria includes a risk that a dispatched agent is  
3 subjected to in negotiations.

1 30. A program product comprising:

2 (a) a program configured to perform a computer  
3 task using an intelligent agent, the program  
4 comprising an intelligent agent including at least  
5 one of a plurality of program modules having varied  
6 degrees of domain knowledge, wherein the plurality of  
7 program modules are configured to handle a common  
8 computer task, and wherein, based upon an objective  
9 criteria, at least one selected program module from  
10 the plurality of program modules is selected to  
11 handle the computer task; and  
12 (b) a signal bearing media bearing the program.

1 31. The program product of claim 30, wherein the  
2 signal bearing media is transmission type media.

1 32. The program product of claim 30, wherein the  
2 signal bearing media is recordable media.

1 33. A method of handling a computer task on a remote  
2 computer system using an intelligent agent, the method  
3 comprising the steps of:

4 (a) determining a risk for the remote computer  
5 system;

6 (b) based upon the risk for the remote computer  
7 system, selecting at least one selected program  
8 module from a plurality of program modules having  
9 varied degrees of domain knowledge, wherein the  
10 plurality of program modules are configured to handle  
11 a common computer task in the remote computer system;  
12 and

13 (c) configuring an intelligent agent to execute  
14 the at least one selected program module to handle  
15 the computer task.

1           35. The method of claim 34, wherein the matching  
2 step includes the step of adaptively matching each program  
3 module based upon the actual performance of the plurality  
4 of program modules.




APPARATUS AND METHOD FOR OPTIMIZING THE PERFORMANCE OF  
COMPUTER TASKS USING INTELLIGENT AGENT WITH MULTIPLE  
PROGRAM MODULES HAVING VARIED DEGREES OF DOMAIN KNOWLEDGE



5

Abstract of the Disclosure

The performance of a given task is optimized by  
utilizing an intelligent agent having a plurality of  
program modules suited to perform the computer task but  
10 having varied degrees of domain knowledge. Based upon an  
objective criteria that may be determined for a given  
situation, one or more of the program modules in the  
intelligent agent may be selected to perform the task,  
thereby optimizing the performance of the computer task  
15 for a wide variety of situations.


1/9

**Fig. 3**





3/9








Fig. 8




Fig. 9






Fig. 10



**Fig. 11**

660T90-56300T60

9/9

**Fig. 12**

United States Patent Application

COMBINED DECLARATION AND POWER OF ATTORNEY

As a below named inventor I hereby declare that: my residence, post office address and citizenship are as stated below next to my name; that

I verily believe I am the original, first and sole inventor (if only one name is listed below) or a joint inventor (if plural inventors are named below) of the subject matter which is claimed and for which a patent is sought on the invention entitled: **APPARATUS AND METHOD FOR OPTIMIZING THE PERFORMANCE OF COMPUTER TASKS USING INTELLIGENT AGENT WITH MULTIPLE PROGRAM MODULES HAVING VARIED DEGREES OF DOMAIN KNOWLEDGE**

The specification of which

- a. ☒ is attached hereto  
 b. ☐ is entitled \_\_\_\_\_, having an attorney docket number  
 c. ☐ was filed on \_\_\_\_\_ as application serial no. \_\_\_\_\_ and was amended on \_\_\_\_\_ (if applicable) (in the case of a PCT-filed application) described and claimed in international no. \_\_\_\_\_ filed \_\_\_\_\_ and as amended on \_\_\_\_\_ (if any), which I have reviewed and for which I solicit a United States patent.

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, § 1.56 (attached hereto).

I hereby claim foreign priority benefits under Title 35, United States Code, § 119/365 of any foreign application(s) for patent of inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on the basis of which priority is claimed:

- a. ☐ no such applications have been filed.  
 b. ☐ such applications have been filed as follows:

FOREIGN APPLICATION(S), IF ANY, CLAIMING PRIORITY UNDER 35 USC § 119			
COUNTRY	APPLICATION NUMBER	DATE OF FILING (day, month, year)	DATE OF ISSUE (day, month, year)
ALL FOREIGN APPLICATION(S), IF ANY, FILED BEFORE THE PRIORITY APPLICATION(S)			
COUNTRY	APPLICATION NUMBER	DATE OF FILING (day, month, year)	DATE OF ISSUE (day, month, year)

I hereby claim the benefit under Title 35, United States Code, § 120/365 of any United States and PCT international application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, § 112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, § 1.56(a) which occurred between the filing date of the prior application and the national or PCT international filing date of this application.

U.S. APPLICATION NUMBER	DATE OF FILING (day, month, year)	STATUS (patented, pending, abandoned)



I hereby appoint the following attorney(s) and/or patent agent(s) to prosecute this application and to transact all business in the Patent and Trademark Office connected herewith:

Adriano, Sarah B.	Reg. No. 34,470	Kettelberger, Denise	Reg. No. 33,924
Batzli, Brian H.	Reg. No. 32,960	Kowalchyk, Alan W.	Reg. No. 31,535
Beard, John L.	Reg. No. 27,612	Kowalchyk, Katherine M.	Reg. No. 36,848
Beck, Robert C.	Reg. No. 28,184	Krull, Mark A.	Reg. No. 34,205
Bejin, Thomas E.	Reg. No. 37,089	Lacy, Paul A.	Reg. No. 38,946
Berman, Charles	Reg. No. 29,249	Lasky, Michael B.	Reg. No. 29,555
Bogucki, Raymond A.	Reg. No. 17,426	Lynch, David W.	Reg. No. 36,204
Bruess, Steven C.	Reg. No. 34,130	Mau, Michael L.	Reg. No. 30,087
Byrne, Linda M.	Reg. No. 32,404	McDaniel, Karen D.	Reg. No. 37,674
Canady, Karen S.	Reg. No. 39,927	McDonald, Daniel W.	Reg. No. 32,044
Carlson, Alan G.	Reg. No. 25,959	McDonald, Wendy M.	Reg. No. 32,427
Carter, Charles G.	Reg. No. 35,093	McIntyre, Iain A.	Reg. No. 40,377
Caspers, Philip P.	Reg. No. 33,227	Miller, William D.	Reg. No. 37,988
Chiapetta, James R.	Reg. No. 39,634	Mueller, Douglas P.	Reg. No. 30,300
Clifford, John A.	Reg. No. 30,247	Nasiedlak, Tyler L.	Reg. No. 40,099
Conrad, Timothy R.	Reg. No. 30,164	Nelson, Albin J.	Reg. No. 28,650
Cooper, Victor G.	Reg. No. 39,641	Pauly, Daniel M.	Reg. No. 40,123
Crawford, Robert	Reg. No. 32,122	Plunkett, Theodore	Reg. No. 37,209
Daignault, Ronald A.	Reg. No. 25,968	Pollinger, Steven J.	Reg. No. 35,326
Daley, Dennis R.	Reg. No. 34,994	Reich, John C.	Reg. No. 37,703
Daulton, Julie R.	Reg. No. 36,414	Reiland, Earl D.	Reg. No. 25,767
Davidson, Ben M.	Reg. No. 38,424	Schmaltz, David G.	Reg. No. 39,828
Dempster, Shawn B.	Reg. No. 34,321	Schmidt, Cecil C.	Reg. No. 20,566
DiPietro, Mark J.	Reg. No. 28,707	Schuman, Mark D.	Reg. No. 31,197
Edell, Robert T.	Reg. No. 20,187	Schumann, Michael D.	Reg. No. 30,422
Epp Ryan, Sandra	Reg. No. 39,667	Sebald, Gregory A.	Reg. No. 33,280
Farber, Michael B.	Reg. No. 32,612	Sharp, Janice A.	Reg. No. 34,051
Funk, Steven R.	Reg. No. 37,830	Skoog, Mark T.	Reg. No. 40,178
Gabilan, Mary Susan	Reg. No. 38,729	Smith, Jerome R.	Reg. No. 35,684
Gates, George H.	Reg. No. 33,500	Stinebruner, Scott A.	Reg. No. 38,323
Golla, Charles E.	Reg. No. 26,896	Sumner, John P.	Reg. No. 29,114
Gorman, Alan G.	Reg. No. 38,472	Sumners, John S.	Reg. No. 24,216
Gould, John D.	Reg. No. 18,223	Tellekson, David K.	Reg. No. 32,314
Gresens, John J.	Reg. No. 33,112	Underhill, Albert L.	Reg. No. 27,403
Hamre, Curtis B.	Reg. No. 29,165	Vandenburgh, J. Derek	Reg. No. 32,179
Hassing, Thomas A.	Reg. No. 36,159	Welter, Paul A.	Reg. No. 20,890
Hillson, Randall A.	Reg. No. 31,838	Williams, Douglas J.	Reg. No. 27,054
Hollingsworth, Mark A.	Reg. No. 38,491	Wood, Gregory B.	Reg. No. 28,133
Johnston, Scott W.	Reg. No. 39,721	Xu, Min S.	Reg. No. 39,536
Kastelic, Joseph M.	Reg. No. 37,160		
Garnett, Pryor A.	Reg. No. 32,136	Roth, Steven W.	Reg. No. 34,712
Truelson, Roy W.	Reg. No. 34,265	Gamon, Owen J.	Reg. No. 36,143
Bussan, Matthew J.	Reg. No. 33,614	Ojanen, Karuna	Reg. No. 32,484
Hughes, Christopher A.	Reg. No. 26,914	Pennington, Edward A.	Reg. No. 32,588
Hoel, John E.	Reg. No. 26,279	Redmond, Jr., Joseph C.	Reg. No. 18,753

I hereby authorize them to act and rely on instructions from and communicate directly with the person/assignee/attorney/firm/ organization who/which first sends/sent this case to them and by whom/which I hereby declare that I have consented after full disclosure to be represented unless/until I instruct Merchant, Gould to the contrary. Please direct all correspondence in this case to Merchant, Gould, Smith, Edell, Welter & Schmidt at the address indicated below:

Merchant, Gould, Smith, Edell,  
Welter & Schmidt  
3100 Norwest Center  
90 South Seventh Street  
Minneapolis, MN 55402-4131

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

2	Full Name Of Inventor	Family Name BIGUS	First Given Name JOSEPH	Second Given Name PHILLIP
0	Residence & Citizenship	City ROCHESTER	State or Foreign Country MINNESOTA	Country of Citizenship U.S.A.
1	Post Office Address	Post Office Address 5113 HIGHGROVE LANE NW	City ROCHESTER	State & Zip Code/Country MINNESOTA/55901/U.S.A.
Signature of Inventor 201:			Date: 3/17/97	
2	Full Name Of Inventor	Family Name CRAGUN	First Given Name BRIAN	Second Given Name JOHN
0	Residence & Citizenship	City ROCHESTER	State or Foreign Country MINNESOTA	Country of Citizenship U.S.A.
2	Post Office Address	Post Office Address 2613 24TH STREET NW	City ROCHESTER	State & Zip Code/Country MINNESOTA/55901/U.S.A.
Signature of Inventor 202:			Date: 3/14/97	
2	Full Name Of Inventor	Family Name DELP	First Given Name HELEN	Second Given Name ROXLO
0	Residence & Citizenship	City ROCHESTER	State or Foreign Country MINNESOTA	Country of Citizenship U.S.A.
3	Post Office Address	Post Office Address 1714 NORTHERN VIOLA LANE NE	City ROCHESTER	State & Zip Code/Country MINNESOTA/55906/U.S.A.
Signature of Inventor 203:			Date: 3/18/97	
2	Full Name Of Inventor	Family Name	First Given Name	Second Given Name
0	Residence & Citizenship	City	State or Foreign Country	Country of Citizenship
4	Post Office Address	Post Office Address	City	State & Zip Code/Country
Signature of Inventor 204:			Date:	
2	Full Name Of Inventor	Family Name	First Given Name	Second Given Name
0	Residence & Citizenship	City	State or Foreign Country	Country of Citizenship
5	Post Office Address	Post Office Address	City	State & Zip Code/Country
Signature of Inventor 205:			Date:	

## **§ 1.56 Duty to disclose information material to patentability.**

(a) A patent by its very nature is affected with a public interest. The public interest is best served, and the most effective patent examination occurs when, at the time an application is being examined, the Office is aware of and evaluates the teachings of all information material to patentability. Each individual associated with the filing and prosecution of a patent application has a duty of candor and good faith in dealing with the Office, which includes a duty to disclose to the Office all information known to that individual to be material to patentability as defined in this section. The duty to disclose information exists with respect to each pending claim until the claim is cancelled or withdrawn from consideration, or the application becomes abandoned. Information material to the patentability of a claim that is cancelled or withdrawn from consideration need not be submitted if the information is not material to the patentability of any claim remaining under consideration in the application. There is no duty to submit information which is not material to the patentability of any existing claim. The duty to disclose all information known to be material to patentability is deemed to be satisfied if all information known to be material to patentability of any claim issued in a patent was cited by the Office or submitted to the Office in the manner prescribed by §§ 1.97(b)-(d) and 1.98. However, no patent will be granted on an application in connection with which fraud on the Office was practiced or attempted or the duty of disclosure was violated through bad faith or intentional misconduct. The Office encourages applicants to carefully examine:

(1) prior art cited in search reports of a foreign patent office in a counterpart application, and

(2) the closest information over which individuals associated with the filing or prosecution of a patent application believe any pending claim patentably defines, to make sure that any material information contained therein is disclosed to the Office.

(b) Under this section, information is material to patentability when it is not cumulative to information already of record or being made of record in the application, and

(1) It establishes, by itself or in combination with other information, a prima facie case of unpatentability of a claim;

or

(2) It refutes, or is inconsistent with, a position the applicant takes in:

(i) Opposing an argument of unpatentability relied on by the Office, or

(ii) Asserting an argument of patentability.

A prima facie case of unpatentability is established when the information compels a conclusion that a claim is unpatentable under the preponderance of evidence, burden-of-proof standard, giving each term in the claim its broadest reasonable construction consistent with the specification, and before any consideration is given to evidence which may be submitted in an attempt to establish a contrary conclusion of patentability.

(c) Individuals associated with the filing or prosecution of a patent application within the meaning of this section are:

(1) Each inventor named in the application:

(2) Each attorney or agent who prepares or prosecutes the application; and

(3) Every other person who is substantively involved in the preparation or prosecution of the application and who is associated with the inventor, with the assignee or with anyone to whom there is an obligation to assign the application.

(d) Individuals other than the attorney, agent or inventor may comply with this section by disclosing information to the attorney, agent, or inventor.

Figure 1 shows 12 lanes of gel electrophoresis results. Each lane is labeled with a sample name and a lane number. The samples are: 1. 100bp DNA ladder (Lane 1), 2. 100bp DNA ladder (Lane 2), 3. 100bp DNA ladder (Lane 3), 4. 100bp DNA ladder (Lane 4), 5. 100bp DNA ladder (Lane 5), 6. 100bp DNA ladder (Lane 6), 7. 100bp DNA ladder (Lane 7), 8. 100bp DNA ladder (Lane 8), 9. 100bp DNA ladder (Lane 9), 10. 100bp DNA ladder (Lane 10), 11. 100bp DNA ladder (Lane 11), 12. 100bp DNA ladder (Lane 12). The bands represent the DNA fragments of the samples.

**Title:** APPARATUS AND METHOD FOR OPTIMIZING THE PERFORMANCE OF COMPUTER TASKS USING INTELLIGENT AGENT WITH MULTIPLE PROGRAM MODULES HAVING VARIED DEGREES OF DOMAIN KNOWLEDGE

**SUBSTITUTE POWER OF ATTORNEY AND CERTIFICATE**  
**UNDER 37 CFR 3.73(B)**

Assistant Commissioner for Patents  
Washington, D.C. 20231

Sir:

On behalf of the assignee of the above-identified application, I hereby revoke any and all Powers of Attorney previously signed with respect to the above and instead appoint the following attorney(s) and/or agent(s), with full power of substitution and revocation, to prosecute this application, to transact all business in the United States Patent and Trademark Office connected herewith, and to receive the Letters Patent:

John D. Poffenberger	Reg. No. 20,245	Bruce Tittel	Reg. No. 22,324
Donald F. Frei	Reg. No. 21,190	David J. Josephic	Reg. No. 22,849
A. Ralph Navaro, Jr.	Reg. No. 23,050	David S. Stallard	Reg. No. 25,930
J. Robert Chambers	Reg. No. 25,448	Gregory J. Lunn	Reg. No. 29,945
Kurt L. Grossman	Reg. No. 29,799	Clement H. Luken, Jr.	Reg. No. 32,742
Thomas J. Burger	Reg. No. 32,662	Gregory F. Ahrens	Reg. No. 32,957
Joseph R. Jordan	Reg. No. 25,686	Wayne L. Jacobs	Reg. No. 35,553
Kurt A. Summe	Reg. No. 36,023	Keith R. Haupt	Reg. No. 37,638
Kevin G. Rooney	Reg. No. 36,330	C. Richard Eby	Reg. No. 25,854
Theodore R. Remaklus	Reg. No. 38,754	Thomas W. Humphrey	Reg. No. 34,353
David E. Pritchard	Reg. No. 38,273	David H. Brinkman	Reg. No. P40,532
Donald M. Hill, Jr.	Reg. No. P40,646	Stephen W. Barns	Reg. No. 38,037
J. Dwight Poffenberger, Jr.	Reg. No. 35,324	Scott A. Stinebruner	Reg. No. 38,323
Herbert C. Brinkman	Reg. No. 16,955	Richard H. Evans	Reg. No. 19,755
Pryor A. Garnett	Reg. No. 32,136	Steven W. Roth	Reg. No. 34,712
Roy W. Truelson	Reg. No. 34,265	Owen J. Gamon	Reg. No. 36,143
Matthew J. Bussan	Reg. No. 33,614	Karuna Ojanen	Reg. No. 32,484
Christopher A. Hughes	Reg. No. 26,914	Edward A. Pennington	Reg. No. 32,588
John E. Hoel	Reg. No. 26,279	Joseph C. Redmond, Jr.	Reg. No. 18,753

Please direct all correspondence in this case to:

Scott A. Stinebruner  
Wood, Herron & Evans, L.L.P.  
2700 Carew Tower  
Cincinnati, Ohio 45202

CERTIFICATE UNDER 37 CFR 3.73(B)

International Business Machines Corporation, a New York corporation, certifies that it is the assignee of the entire right, title and interest in the patent application identified above by virtue of an assignment from the inventor(s) of the patent application identified above. A copy of the assignment is attached hereto.

The undersigned has reviewed all the documents in the chain of title of the patent application identified above and, to the best of undersigned's knowledge and belief, title is in the assignee identified above.

The undersigned (whose title is supplied below) is empowered to sign this certificate on behalf of the assignee.

I hereby declare that all statements made herein of my own knowledge are true, and that all statements made on information and belief are believed to be true; and further, that these statements are made with the knowledge that willful false statements, and the like so made, are punishable by fine or imprisonment, or both, under Section 1001, Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

Date: June 9, 1997

By: Steven W. Roth, Reg. No. 34,712  
Title: Attorney

Enc: Copy of Assignment

K:\lhm\04\Substitute Power of Attorney-04wpd.wpd